

17.3" 8 PORT VGA KVM DRAWER

BRAND : PRITECH
PART NO. : PA-XW1708



OVERVIEW

The **PA-XW1708 single rail LCD KVM Switch** is a control unit that allows access and control of up to 8 computers using a single console with an integrated 17.3" LCD monitor, keyboard, and touchpad—all housed in a compact 1U-height rack-mountable drawer.

The built-in LCD display supports resolutions up to 1920x1080 at 60Hz. Users can easily switch between connected computers via front panel pushbuttons, keyboard hotkeys, or the on-screen display (OSD). The unit supports both USB and PS/2 interfaces for connecting to computers, and includes an additional HDB15 port for connecting an external VGA monitor.

FEATURES

HARDWARE FEATURES

- Integrated USB KVM console with 17.3" LCD monitor, keyboard/touchpad and 8 port KVM switch in a 1U height console
- Standard VGA connection-Connect to a server or computer via standard VGA connectors

- LCD module can be opened up to 108 degrees to provide a comfortable viewing angle
- Support computers with USB and PS/2 keyboard and mouse

MANAGEMENT

- Convenient computer switching via front panel LEDs, keyboard hotkey combination or on-screen-display (OSD)
- Auto scan feature for monitoring user-selected computer
- Broadcast mode—operations simultaneously performed on all selected computers
- Hot pluggable –add or remove computers without having to power down the switch
- Quickly select your computer by naming the server or inputting SN number of the server
- On-Screen Display (OSD) adjustments-Adjust the on-screen image, including: auto adjust, exit, power on/off, brightness, and menu

HIGH RESOLUTION

- 17.3" TFT rack keyboard monitor supports highlight, high definition and high resolution
- Superior video quality is up to 1920 x 1080 @60Hz

DAISY-CHAIN CONNECTION

- By daisy-chaining up to another 31 switches, as many as 256 servers can be controlled from a single console

SECURITY

- Two level password security—only authorized users view and control computers
- Supports one administrator and four user accounts with a separate profile for each

HIGH PERFORMANCE TOUCHPAD

- Touchpad with scroll wheel – Eliminates the need for a separate, external mouse

KEYBOARD

- Multi-language support—English, Russian, German, French, UK and Spanish, etc.
- Full size 99 keys keyboard with integrated number pad


WIDE COMPATIBILITY

- Multiplatform Support-Compatible with Windows, Sun, Unix and Linux
- Supports servers from Lenovo, HUA WEI, HP, IBM, Cisco and Dell, etc.

SPECIFICATIONS

Model		PA-XW1708
COMPUTER CONNECTIONS	Direct	8
	Max	256
PORT EMULATION	Keyboard, mouse	PS/2, USB
LCD MONITOR	LCD model	FHD TFT
	View area	17.3"
	Optimum resolution	1920 × 1080 @60Hz
	Display color	16.7 M
	Brightness	250cd/m ² (T y p)
	Contrast ratio	800 : 1 (T y p)
	Pixel pitch(mm)	0.1989(H)×0.1989(W)
MOUSE	X/Y resolution	>1000 points /inch, (40 points/mm)
	Roll wheel	Supports scroll wheel function
KEYBOARD		99 keys (82 keys main keyboard +17 independent small numeric keyboard)
PORT SELECTION		Front panel push buttons, hotkeys, OSD menu
INPUT POWER		100V- 240Vac, 50-60Hz, <1.5A
POWER CONSUMPTION		13W
MOUNTING DISTANCE		510-850mm(L=420mm)
		Mounting rails can be customized for other mounting distance.
OPERATING TEMPERATURE		0—50 °C
STORE TEMPERATURE		-20—60 °C
HUMIDITY		0—80% RH, non-condensing
NET WEIGHT		10.9kg
PRODUCT DIMENSION (W × D × H)		448mm×525.6mm×42.5mm
PACKAGE DIMENSION (W × D × H)		765mm×615mm×185mm
OPTIONAL POWER INPUT		-36V— -72V DC

DIAGRAM



PRITECH AUTOMATION PRIVATE LIMITED

PHONE : +91 79 27702711, 09714854011

EMAIL : sales@pritechautomation.com

WEBSITE : www.pritechautomation.com



ISO 9001:2015